

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	22	("OLKIN, TERRY" or "MOREH, JAHANSHAH")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/06 08:10
L2	23	"SECURE DATA IN MOTION, INC"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/06 08:13
L3	10075	("key" adj ("server" or "storage" or "vault" or "database"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/06 08:17
L4	3	l3 and (("positive" or "negative") adj event\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/06 08:17
L5	1641	380/277	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/06 08:16
L6	402	l5 and ("key" adj ("server" or "storage" or "vault" or "database"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/06 08:17
L7	0	l6 and (("positive" or "negative") adj event\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/06 08:18
L8	757	380/278	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/06 08:17
L9	202	l8 and ("key" adj ("server" or "storage" or "vault" or "database"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/06 08:18
L10	0	l9 and (("positive" or "negative") adj event\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/06 08:18
L11	416	380/279	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/06 08:18

## EAST Search History

L12	141	l11 and ("key" adj ("server" or "storage" or "vault" or "database"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/06 08:19
L13	0	l12 and (("positive" or "negative") adj event\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/06 08:19
L14	394	380/283	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/06 08:18
L15	79	l14 and ("key" adj ("server" or "storage" or "vault" or "database"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/06 08:20
L16	0	l15 and (("positive" or "negative") adj event\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/06 08:20
L17	9890	707/1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/06 08:20
L18	191	l17 and ("key" adj ("server" or "storage" or "vault" or "database"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/06 08:22
L19	0	l18 and (("positive" or "negative") adj event\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/06 08:22
L20	3798	707/9	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/06 08:22
L21	165	l20 and ("key" adj ("server" or "storage" or "vault" or "database"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/06 08:43
L22	0	l21 and (("positive" or "negative") adj event\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/06 08:43
L23	292	360/1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/06 08:43

## EAST Search History

L24	1	I23 and ("key" adj ("server" or "storage" or "vault" or "database"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/06 08:43
L25	0	I24 and (("positive" or "negative") adj event\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/08/06 08:43

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)

key server with determined positive or negative

Search Patents

[Advanced Patent Search](#)  
[Google Patent Search Help](#)

"with" is a very common word and was not included in your search. [\[details\]](#)  
Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)

## Patents

Patents 1 - 10 on key server with determined positive or negative event. (0.04 seconds)

### Multilevel taxonomy based on features derived from training documents classification using ...

US Pat. 6233575 - Filed Jun 23, 1998 - International Business Machines Corporation

Like running statistics generation for a relational **server**, feature selection... **Negative** (respectively, **positive**) rows are appended to the frequency table ...

### Client/**server** based secure timekeeping system

US Pat. 5500897 - Filed Dec 29, 1994 - International Business Machines Corporation

The polarity of the adjustment is **determined** by the polarity of calibration ...client's public **key**, and transmitted over I/O port 114 to the **server** system. ...

### Enabling seamless user mobility in a short-range wireless networking environment

US Pat. 6633761 - Filed Aug 11, 2000 - ReefEdge, Inc.

When the test in decision Block 750 has a **negative** result, Block 755 checks tosee if an implicit termination has occurred. If this test has a **positive** ...

### System for monitoring relevant events by comparing message relation **key**

US Pat. 6941367 - Filed May 10, 2001 - Hewlett-Packard Development Company, L.P.

The rules 5 comprise an **event** pattern 5a and a message **key** pattern 5b if a messageis to ... Since the matching is **determined** to be **negative** in this case, ...

### Method for robust watermarking of content

US Pat. 6823455 - Filed Apr 8, 1999 - Intel Corporation

In the **event** that content is maintained in a YUV color format, ... For example,if the neighboring watermarked data blocks are all **positive**, a **negative** ...

### System and method for backing up computer files over a wide area computer network

US Pat. 6049874 - Filed Mar 12, 1998 - Fairbanks Systems Group

At block 100, the **server** (ie, at the data center 12 shown in FIG. ... In the**event** that only 56 bits are required for the **key**, the two 64 bit halves of the ...

### Enabling seamless user mobility in a short-range wireless networking environment

US Pat. 7197308 - Filed Aug 1, 2005 - Symantec Corporation

25 When the test in decision Block 750 has a **negative** result, Block 755 checksto see if an implicit termination has occurred. If this test has a **positive** ...

### Seamless user mobility in a short-range wireless networking environment

US Pat. 6975864 - Filed Jun 9, 2003 - Symantec Corporation

When the tests in all of Blocks 700, 705, 750, and 755 have a **negative** result,control returns to Block 700 to await 40 the next handoff **event**. ...

### Neural network system and method for controlling information output based on user feedback

US Pat. 6792412 - Filed Feb 2, 1999

With the binary example, **server** e-mail application module 228 may treat any ...or zeros corresponding to either **positive** or **negative** feedback regarding the ...

Scheme for blocking the use of lost or stolen network-connectable computer systems

US Pat. 6925562 - Filed Dec 15, 2000 - International Business Machines Corporation

If the **server** module 23 **determined** that the computer system 21 is reported ...

The computer system 21 receives the **negative** credit C and updates its credit ...

Google ►

Result Page:    1   2   3    **Next**

key server with determined positive or negative event   

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)



key storage with determined positive or negative event

Search Patents

[Advanced Patent Search](#)  
[Google Patent Search Help](#)

"with" is a very common word and was not included in your search. [\[details\]](#)  
Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)

## Patents

Patents 1 - 10 on key storage with determined positive or negative event. (0.04 seconds)

### Intelligent call processing based upon complete identification of calling station

US Pat. 5481603 - Filed Sep 28, 1993 - AT&T Corp.

If the update is successfully made and a **positive** result occurs in step 309, ...  
number in the format NPA-NXX-XXXX, as the **storage** and retrieval **key**. ...

### System and method for dynamic assistance in software applications using behavior and host ...

US Pat. 6340977 - Filed May 7, 1999

A native operating system **event** occurs when any of the Host App's Windows are opened  
... class names, etc., and stored in a transient **storage** structure ...

### Automatic musical performance apparatus having separate level data **storage**

US Pat. 4930390 - Filed Jan 19, 1989 - Yamaha Corporation

From step SF3 to SF10, the termination of an **event** is detected, ... Specifically,  
the CPU 15 supplies keycode data and **key-on/off** data to the tone generator ...

### Programmable clock

US Pat. 4387420 - Filed Nov 26, 1980 - Rauland-Borg Corporation

5 time in a single **event**, it is also possible to select any Returning to the ...  
If the **key** stroke is **determined** by test 289 to returns to the junction C ...

### Acoustic tone inhibiting means for keyboard musical instrument

US Pat. 4704931 - Filed Jun 16, 1986 - Nippon Gakki Seizo Kabushiki Kaisha

If **key** the mode selection switch circuit 37. The lamp L4 flick- **event** change is  
... the **event** detection described above, the **key** switch ... 32 The **negative** ...

### Keypad entry electronic combination lock with self-generated combination

US Pat. 5709114 - Filed Nov 15, 1995 - Mas-Hamilton Group

Thereafter the flow is to for at least two of the three **storage** locations, ...  
4A. that it is **determined** not to be a FLM **key**, then the **negative** controls to ...

### Automatic money dispenser and method

US Pat. 4249163 - Filed May 7, 1979 - G.A.O. Gesellschaft fur Automation und Organisation mbH

Human interface is achieved at devices 2 and 11, **key** 22, and keyboard 20 through  
... The **positive** or **negative** result of this comparison is transferred to ...

### Manipulator apparatus

US Pat. 4518308 - Filed Mar 1, 1982 - Acrobe Technology Inc.

In the **event** that the manipulator apparatus 20 is subjected to a total power ...  
11) in the **positive** and **negative** directions: The 12-**key** NUMERIC PANEL is ...

### ELECTRONIC LOCKING SYSTEM

US Pat. 3622991

It will also be understood that, blank **key** card to be punched with a ... to the  
log- provide both **positive** and **negative** supplies to the door control lcal ...

System for monitoring broadcast audio content

US Pat. 6574594 - Filed Jun 29, 2001 - International Business Machines Corporation

Recording is done so to that it can be **determined** during the following test period

... **Event** information can be recorded in a memory or **storage** device ...

Goooooooooooooogle ►

Result Page:    1 2 3 4 5 6 7 8 9 10    **Next**

key storage with determined positive or nega Search Patents

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)



key storage with determined positive or negative event

Search Patents

[Advanced Patent Search](#)  
[Google Patent Search Help](#)

"with" is a very common word and was not included in your search. [\[details\]](#)  
Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)

## Patents

Patents 11 - 20 on key storage with determined positive or negative event. (0.02 seconds)

### Credit card storage system

US Pat. 4857714 - Filed Mar 18, 1988

If range check 176 is **negative**, the program loops to step 172 to display Message

Four ... or **key** pad activity as described above. If test 208 is **positive**, ...

### Grey-level ultrasonic imaging

US Pat. 4106346 - Filed Mar 23, 1977

16), which corrects the writing intensities on the **storage** oscilloscope. ...

the **positive or negative** sense of the velocity of 15 the X-start coordinate. ...

### System for monitoring audio content available over a network

US Pat. 7031921 - Filed Jun 29, 2001 - International Business Machines Corporation

Recording is done so 5 that it can be **determined** during the following test period

... **Event** information can be recorded in a memory or **storage** device ...

### Boom event analyzer recorder

US Pat. 5023847 - Filed Jun 30, 1989 - The United States of America as represented by the Secretary of the Air Force

The "F" **key** allows **storage** of 1.5 seconds of data, or 12131 data points. ...

from one **positive** value to a less **positive** value, or from a one **negative** value ...

### CORDLESS KEY CONTROL TESTBOARD FOR TELEPHONE SYSTEMS

US Pat. 2550819 - Filed Sep 17, 1947 - Automatic Electric Laboratories

HO extending to the **positive** and **negative** terminals of the meter IS 12 as previously

explained. At this time, in the **event** the meter 1412 does not indicate ...

### Music navigator with visual image presentation of fingering motion

US Pat. 6087577 - Filed Jun 24, 1998 - Casio Computer Co., Ltd.

In the case of note off **event**, step S105 turns off a **key** light corresponding to

RNOTE. ... Step 108 checks if A is a **negative** or **positive**. ...

### System for monitoring audio content in a video broadcast

US Pat. 7085613 - Filed Jun 29, 2001 - International Business Machines Corporation

**Event** information can be recorded in a memory or **storage** device associated ...

5 is a flow diagram of a **key** generator process for generating keys from the ...

### SHORT-CUT MULTIPLYING MACHINE

US Pat. 2933247 - Filed Feb 1, 1955 - incidental to shortcut operation Application February 1

... and manual means including a **positive** multiply **key** and a **negative** ... with the

sign character **determined** by said **positive or negative** multiply keys ...

### TERMINAL MESSAGE MONITOR

US Pat. 3701971 - Filed Oct 9, 1970

4, all memory contents of the respective stages of the buffer **storage** buffers

... mode input switch 163 responds by sending a **positive or negative** which is ...



Electro-optical quality control inspection of elements on a product

US Pat. 4642813 - Filed Apr 18, 1983 - Object Recognition Systems, Inc.

The output of tor for each **key** during the training procedure with a 50 ...

one of the is thus a four-pixel video **positive (or negative)** pulse three windows. ...



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

key storage with determined positive or nega

Search Patents

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google